

**PU GUNFOAM  
LOW  
EXPANSION**

- PU foam
- Indoor use



## PU foam for GUN Low Expansion type PU GUNFOAM LOW EXPANSION

PU foam 750 ml  
To use with **GUN EASY**

### Brand

- SUFIX

### Application

- Excellent sound insulating and thermic isolation
- Excellent fixation capacity on different basis
- Very quick hardening
- High stability

### Characteristics

- 1-Component polyurethan foam
- Contents 750 ml
- Application temperature: +5°C till +35°C
- Closed cells: ± 70%
- Curing time: 50-150 minutes
- Cutting time: 50-100 minutes
- Density: 18-25 kg/m<sup>3</sup>
- Dimensional Stability (FEICA TM1004): -5% < DS < 0%
- Fire Behaviour: B3
- Joint sound insulation: 58 dB
- Tack free time (FEICA TM1014): 8-15 minutes
- Temperature Resistance: -40°C till +90°C
- Thermal conductivity (m-K): 30-35 W/
- Yield (FEICA TM1003): 750 ml = 35-40 liter

### Accessories

- PU Gun, type **GUN EASY**
- **PU cleaner**
- Cleaning wipes, type **CLEANERS**