


P-LINE-BOX-I

- Plenum boxes
- Linear
- Steel



Insulated plenum boxes for GYP-P-LINE type P-LINE-BOX-I

Insulated plenum boxes in galvanized steel for **GYP-P-LINE** slot diffusers.

Brand

- CAIROX - Ventmann

Application

- The plenum boxes have been developed to mount individually or in line.

Accessories

- Straight branches **APD** or **APG** to be provided by yourself according to the required connections.
- Plenums **P-LINE-BOX-I** are always supplied without branches.
- L-Holder, type **HLC**

Order example

- **P-LINE-BOX-I - 2 - 3xD160 - L=1000 MM**


Explanation

P-LINE-BOX-I = Thermal insulated plenum box

1&2 = Number of slots according to diffuser

6xD100 = Connection diameter

1000 = Length according to diffuser



P-LINE-BOX-I		Dimensions						
Size	Slots GY-P-LINE	L [mm]	D [mm]	C [mm]	E [mm]	W [mm]	H [mm]	Y [mm]
A	1 SLOT	625	3x Ø160	125	188	126	200	93
		1000	3x Ø160	200	300			
		1250	4x Ø160	200	283			
B	2 SLOTS	625	3x Ø160	125	188	162	200	130
		1000	3x Ø160	200	300			
		1250	4x Ø160	200	283			
C	3 SLOTS	625	3x Ø160	125	188	211	240	176
		1000	3x Ø200	200	300			
		1250	4x Ø200	200	283			

- Flanges
- With rubbersealing



Straight branches with rubber type APG

Galvanized steel straight branches 90°, with rubber sealing. The airtightness class is also determined by the mounting on the construction site.
Connection pieces until Ø200 with airtightness class D to EN 12237, connection pieces bigger than Ø200 with airtightness class C to EN 12237. The airtightness class is also determined by the mounting on the construction site.


Order example

■ **APG, 250**

Explanation :

APG = Branche type

250 = Diameter of branche



Dimensions			
APG	ØD	ØD2	l2
80	80	104	50
100	100	124	50
125	125	149	50
150	150	174	50
160	160	184	50
180	180	204	50
200	200	224	55
250	250	274	60
315	315	339	60
355	355	379	45
400	400	424	45
450	450	474	45
500	500	524	70
560	560	584	70
630	630	654	70
710	710	734	70
800	800	824	70

Dimensions

For dimensions please check our website www.cairox.be