



Ducobox Energy type DC-BOX ENERGY COMFORT PLUS

Brand

- Duco

Accessories

- Position switch, type **DC-CV**
- Room sensor CO₂ (230V RF), type **DC-SEN CO2**
- Switch contact (230V RF), **DC-SC RF230**
- Connectivity board, type **DC-PCB COM**
- Replacement filters, type **FS-EN**

I.10

Heat recovery
units


DC-BOX ENERGY COMFORT PLUS

- Residential
- Counterflow
- Duco
- $Q_v \leq 600 \text{ m}^3/\text{h}$




Selection curves


DucoBox Energy D350 m³/h



DucoBox Energy D450 m³/h




DucoBox Energy D550 m³/h




Sound data					
DC-BOX ENERGY COMFORT PLUS D350					
Q [m ³ /h]	[Pa]	Lwa [dB(A)]*			
		Lwa2	Lwa5	Lwa6	
200	50	42.5	45.5	45.5	
250	50	48.5	51	48	
250	100	48.5	53	68.5	
300	50	48.5	57.5	69	
300	100	51.5	59.5	72	
300	150	53.5	57.5	72.5	
300	200	53	56.5	74	
350	100	53.5	57	73	
350	150	54.5	56.5	72	
350	200	56.5	57.5	74.5	
DC-BOX ENERGY COMFORT PLUS D450					
Q [m ³ /h]	[Pa]	Lwa [dB(A)]*			
		Lwa2	Lwa5	Lwa6	
300	100	51.5	59.5	72	
300	200	53	56.5	74	
350	100	53.5	57	73	
350	150	54.5	56.5	72	
350	200	56.5	57.5	74.5	
400	100	53.5	55.5	76	
400	150	58.5	58.5	79	
400	200	57	58	79	
450	150	58	58.5	78	
450	200	59.5	59	78.5	
DC-BOX ENERGY COMFORT PLUS D550					
Q [m ³ /h]	[Pa]	Lwa [dB(A)]*			
		Lwa2	Lwa5	Lwa6	
300	50	52	57	710	
350	50	53	58.5	74.5	
400	100	55	56	78	
400	150	56.5	58.5	82.5	
450	150	59.5	58	81	
500	100	61	59.5	81	
500	150	59.5	61	85	
500	200	61	61	84.5	
550	150	62	63	85	
550	200	63.5	65	84.5	

Comfort Plus D350 - Plus D450 - Plus D550


Vooraanzicht
vue de face




Zij-aanzicht
vue de côté



Achteraanzicht
Vue arrière



Bovenaanzicht
Vue de dessus



Onderaanzicht
Vue de dessous

