


J.03

Air Handling Units, chillers & fancoils

KCA-Kp (PAE)

_ Emicon _ Air/water monoblock _ Accessories



Water collector kits without insulation for EVEREST type KCA-Kp (PAE)

Kit consisting of water collectors (6" diameter), ball valves, support brackets and all necessary for the hydraulic connection between the unit and the collectors (supplied as a kit).

Brand

Emicon

Application

- Can only be ordered as an option when purchasing EVEREST290 units (stand alone or in cascade)
- A KCA-Kp (PAE) collector (and KCC-Kp (PAE) insulation) must be provided per EVEREST290 unit

Characteristics

- By connecting these pipes, treated with anticorrosive paint, with grooved Victaulic connections at both ends, the hydraulic connection can be provided between a maximum of 10 EVEREST units, creating one large collector.
- By closing the ball valves in the flow and return lines to the main collector pipe, units can be removed from the cascade.

Composition

- Two painted steel water collector pipes (1 departure and 1 return pipe) with a diameter of 6 inches
- These water collector pipes are grooved at both ends and are supplied with Victaulic brackets
- The water collector return pipe has a lateral Victaulic connection for the ball valve on the return pipe
- The water collector pipe departure pipe has a lateral Victaulic connection for the ball valve on the departure pipe
- Support brackets for mounting of the collectors
- The water collector pipes are not insulated, for this you still need the KCC-Kp (PAE) insulation

Versions

KCA-Kp (PAE)

J.03

Air Handling Units, chillers & fancoils



J.03

Air Handling Units, chillers & fancoils

